

Line 18 After "material" add -- to such articles --.

Line 24 After "by" add -- the --.

Page 6

Line 18 Cancel "being".

Line 14 Change "as containing" to -- contains --.

Line 18 Change "powered" to -- driven --

Line 19 Place a comma after "13"

Line 20 Cancel "intermittently"

Line 21 Before "onto" add -- intermittently --.

Line 22 Substitute a comma for "is"

Line 28 Before "is" add -- it --.

Line 29 After "control" add -- and --.

Line 30 Substitute -- and such -- for "which".

Page 7

Line 7 Substitute -- such as -- for "or"; after
"said" add -- lower --.

↖ 2nd occurrence Cid.

Line 13 Cancel "along".

Line 14 Substitute -- such -- for "other"

Line 19 Change "said" to -- such --

Line 20 Place a comma after "edge"; substitute --
applied -- for "fed".

Line 21 Substitute -- carrying -- for "positioning"

Page 8

Line 8 Substitute -- applied -- for "fed"

Line 11 After "activating" add -- a --.

Line 13 Substitute -- for -- for "of"

Line 20 Substitute -- thus -- for "so"

Line 21 Substitute -- to be driven past -- for
"pass"

Line 23 Substitute -- extends -- for "leads".

Line 24 Place a comma after "etc."

Line 25 Substitute -- transferred -- for "deflected"
 Line 31 Cancel "predetermined".
Page 9
 Line 1 Place a comma after "31"
 Line 3 Cancel "been"; substitute -- its -- for "in"
 Line 17 Substitute -- generates -- for "sets up".
 Line 18 Substitute -- operating selected of -- for
 "depressing"; substitute -- of -- for "on"
 Line 22 Cancel "roller".
 Line 25 Substitute -- to transfer it to -- for "onto"
 Line 31 After "36" add -- which is --; after "to"
 add -- operably --.
 Line 32 Substitute -- applied to -- for "disposed along".
Page 10
 Line 2 Substitute -- such -- for "said"
 Line 4 Place a comma after "output"; after "which"
 add -- output --
 Line 5 After "39" the words should be -- operating
 a gate --.
 Line 6 Substitute -- transferring -- for "gating"
 Line 20 Substitute -- The -- for "It is noted that the"
 Lines 23, 24 Place a comma after "tape"
 Line 27 After "roller" add -- applying --.
Page 12
 Line 8 Place a comma after "33" and "scanner"
 Line 12 Place a comma after "34"
 Line 17 Place a comma after "characters"
 Line 18 After "as" add -- defining --; place a comma
 after "addresses"
 Line 20 Change "to" to -- of --.
 Line 21 Place a comma after "code"

Line 22 Place a comma after "43"
 Line 28 Cancel the comma
 Line 30 Place a comma after "camera" and "described"
 Line 31 Change "of" to -- and --
 Page 13
 Line 5 After "reader" add -- is --
 Line 6 After "logical" add -- circuit --; change
 "determine " to -- determines --
 Line 11 Place a comma after "provided".
 Line 12 Cancel "adapted"
 Line 14 After "and" add -- is operable --;
 substitute -- detecting such -- for "selecting
 said".
 Line 15 After "control" add -- the --; after "means"
 add -- so as --.
 Cancel "only"; before "scan" add -- only --
 Line 17 Change "with said" to -- such as --;
 cancel "leading same,"
 Line 18 Cancel "such as"
 Line 19 After "detectors" add a comma
 Line 21 After "a" add -- control --
 Line 22 Substitute -- is scanned. Such -- for
 "passes said cells and said".
 Line 23 Before "driving" add -- means --;
 after "driving" cancel "of" ; substitute
 -- operation -- for "movement".
 Line 24 Before "scan" add -- cause it to --;
 substitute -- such -- for "said"
 Line 25 After "comprise" add -- characters defining --;
 substitute -- may be -- for "just"

Line 26 Substitute -- such -- for "the" first occurrence;
substitute -- defined by -- for "just"; after
"code" add -- signals --; substitute -- by --
for "of".

Line 29 Place a comma after "recorded" and "described"

Line 31 Substitute -- applying same -- for "being used".

Page 14
Line 4 Substitute -- operable -- for "provided".

Line 7 Cancel "cathode ray"

Line 8 Cancel "tube scanner or other"; substitute
-- such -- for "just said"

Line 9 Substitute -- control -- for "operate".

Line 10 Substitute -- generated when -- for " of";
substitute -- scans -- for "derived in scanning"

Line 11 After "said" add -- last --; after "line"
add -- of characters --; cancel "memory-
computing means or"

Line 12 Substitute -- such -- for "said"; substitute
-- a -- for "the"; cancel "coded".

Line 13 After "form" add -- which may be --;
after "modulate" add -- and control --

Line 14 Substitute -- printed matter -- for "characters"

Line 15 Substitute -- resulting signals may be --
for "results"

Line 16 After "If" add -- such zip code is but --;
cancel "comprises just the last".

Line 17 After "line" first occurrence, add -- of the
address being read --; substitute ~~+~~ may be
effected which initiates at ~~+~~ for "from";
substitute -- end -- for "right edge"; before
"until" add -- containing such code --;
substitute -- the -- for "a".

Line 18 Substitute -- is detected -- for "appears";
substitute -- end -- for "edge"; substitute --

p2

the printing defining the + for "state".

Line 19 Substitute -- which scanning -- for "will determine
the longitudinal limits"

Line 20 Cancel "of the zip code number and".

Line 21 Substitute -- defining such -- for "indicative of
just said".

Page 15

Line 2 Substitute -- person viewing -- for "human being
scanning".

Line 3 Substitute -- such -- for "said"

Line 4 Substitute -- form and disposed at -- for "forms
of"; cancel "configurations".

Line 5 Substitute -- effected -- for "operated"

Line 6 Cancel "relatively uniform and"

Line 7 After "of" add -- being -- ; substitute -- scanned
-- for "scanning"; place a comma after "34".

Line 8 After "define" add -- either --.

Line 9 Substitute -- operation -- for "station"

NE
Excluded

Line 13 Cancel "my co-pending"

Line 14 Substitute -- rotating -- for "reading";
substitute -- select -- for "predetermine"

Line 15 Cancel "or card".

Page 16

Line 1 Cancel "preferred form of"

Line 2 Place a comma after "E "

Line 3 Place a comma after "envelopes"

Line 5 Substitute -- a -- for "the"

Line 8 Substitute -- V-shaped -- for "wedge-like"

Line 9 Substitute -- A -- for "The"

Line 10/ Substitute -- aligned -- for "lined"
Line 17/ Substitute -- an -- for "a line"
Line 18/ Cancel "oppositely"
Line 27/ Cancel "properly"
Line 29/ Before "close" add -- disposed -- ;
after "or" add ~~+~~ they may be disposed wherein --;
103 substitute -- abuts -- for "abutting".
Line 30/ After "other" add -- so as --
Line 31/ Substitute -- of -- for "or"
Line 33/ Substitute -- In the embodiment of -- for
"Turning again to"

Page 17

- Line 6 Substitute -- Canteleverly supported --
for "Cantilevered"
- Line 9 Substitute -- denoted -- for "designated"
- Line 12 Cancel "possibly"; cancel "what may".
- Line 13 Cancel "be".
- Line 15 Substitute -- such -- for "said"
- Line 18 Substitute -- guided -- for "predetermined"
- Line 20 Before "groove" add -- radial --; after
"recess" add -- formed --.
- Line 24 Substitute -- wherein a recording -- for "by the"
- Line 25 Cancel "which"
- Line 27 Substitute -- which retain same -- for "holding
member 59"
- Line 29 Cancel "the end of"; before "secured" add --
which is --;
- Line 30 After "adjusted" add -- and held --;
substitute -- adjusting -- for "proper adjustment";
substitute -- such -- for "of the".

Page 18

- Line 1 Substitute -- signals along -- for "on".
- Line 3 Cancel "adjacent said lower edge"
- Line 5 Cancel "of the "
- Line 6 Cancel "for properly functioning as described"
- Line 8 After "60" add -- operable --
- Line 9 Substitute -- extending -- for "leading"
- Line 11 Substitute -- from -- for "in"; substitute
-- stacked array -- for "vertical"
- Line 12 Cancel "attitudes"; substitute -- such --
for "the"; cancel "apparatus 60 of FIG. 3";
cancel "be oper-"
- Line 13 Substitute -- contain -- for "ated with the";
cancel "either a vertical or".

Line 15 Substitute -- cards -- for "card vertically";
cancel "or"; substitute -- their sides --
for "its sides"
Line 18 Place a comma after "62"
Line 20 Substitute -- for -- for "or"
Line 22 Before "bin" add -- the --; cancel "61";
after "direct" add -- when gas pressurizing --
Line 23 Substitute -- a -- for "the"; before "pieces"
add -- mail --
Line 25 Cancel "or endmost"
Line 28 Change "comprise" to -- a --
Line 33 After "or" add -- by means of --;
substitute ~~1~~ riding thereagainst to contact --
for "rotated thereon, against".

Page 19

Line 1 After "onto" add -- the conveyor --;
substitute -- the -- for "all"; after "edges"
add -- of all pieces --
Line 2 Substitute -- to permit -- for "for";
substitute -- to be effected as described --
for "purposes"
Line 3 Substitute -- a -- for "the"
Line 4 Substitute -- power-driven -- for "power-operated"
Line 5 Substitute -- each mail -- for "the aligned".
Line 15 Cancel "the"; after "61" add -- operable --;
cancel "injected"
Line 16 Substitute -- from -- for "said"
Line 19 Cancel "lower"
Line 20 Substitute -- portion thereof -- for "portions"
of the pieces"
Line 23 Change "lefthand" to -- left hand --